Common Development Tasks

Short recipes for the most frequent requests. After each one, run `npm run build` and check the page locally before pushing.

Update hours, season, or tour times

- **Visit page:** the `dl` rows in the *Hours & Season* section of `src/app/visit/page.tsx`, and the intro sentence in `PageHero`.
- **Home quick facts:** `src/components/home/QuickInfoStrip.tsx` ("Open daily, Apr–Nov").
- **FAQ:** "What are the hours of operation?" in `src/lib/faq.ts`.

Update tour cards or prices

Edit `src/lib/tours.ts` (`priceLabel`, `duration`, `highlights`, `badges`). The admission note ("Admission starts at $10...") is in `src/app/visit/page.tsx`, and "Admission from $10" is in `QuickInfoStrip.tsx`.

Add or edit an FAQ

Add an object `{ question, answer }` to the right group in `visitFaqGroups` (`src/lib/faq.ts`). The accordion picks it up automatically.

Change a membership tier

Edit the tier in `membershipTiers` (`src/lib/support-content.ts`): `price`, `benefits`, `tagline`, and `joinUrl` (the HighLevel payment-link ID). Coordinate with the HighLevel product so the price

matches the checkout. Set `featured: true` to highlight a tier.

Change the donation form

Update `DONATION_CHECKOUT_URL` in `src/components/support/DonateWidget.tsx`.

Update contact details or social links

`siteConfig.org` and `siteConfig.social` in `src/lib/site-config.ts`. The footer, DAF panel, and form error messages update automatically.

Add a venue

Add a `Venue` to `src/lib/venues.ts`, and put optimised images in `public/images/venues/`. Venues render in array order.

Add a history chapter, hotspot, or restoration project

Append to `historyChapters`, `mapHotspots`, or `restorationProjects` in `src/lib/history.ts`. Link a chapter to a hotspot with `mapId` = hotspot `id`. Hotspot `x`/`y` are percentages on the fort map. Mark the present-day chapter with `isPresent: true`.

Add a glossary term

Add `{ term, definition }` to `fortTerms` in `src/lib/fort-terminology.ts`. Keep the list alphabetical, because the page groups terms by first letter in array order.

Add a new page

1. Create `src/app/<slug>/page.tsx` with a `metadata` export (`title`, `description`, `alternates.canonical`).
2. Use `PageHero` (or `Breadcrumb` plus a header band), `Container`, and the section and heading patterns from existing pages.
3. Add the route to `routes` in `src/app/sitemap.ts`.
4. Add it to `primaryNav` and/or `footerLinks` in `site-config.ts` if it needs a link.
5. If it replaces an old WordPress URL, add a 301 in `public/_redirects`.

Add a redirect

Append `<old-path> <new-path> 301` to `public/_redirects`. Use trailing slashes on internal targets (the site uses `trailingSlash: true`).

Replace an Explore the Fort video

Upload the new MP4 to R2 under a **new file name**, update `videoPath` in `src/lib/explore-fort.ts`, and optionally add `captionsPath` (VTT) and `posterPath`. The list must stay at exactly six entries.

Add a new webhook-backed form

Reuse `LeadForm` with a new `NEXT_PUBLIC_*_WEBHOOK_URL`, and set `source`, `tags`, and `opportunityPrefix`. Better still, when delivery must be confirmed, add a Pages Function modelled on `event-inquiry.ts`.

Expose something new in the CMS

See *Decap CMS Configuration → Adding a CMS-editable field or area*.

Revision #1
Created 2026-09-28 14:25:57 UTC by David Prata
Updated 2026-09-28 14:25:57 UTC by David Prata