Environment Variables

Set these in **Cloudflare → Workers & Pages → project → Settings → Variables and Secrets**, for both Production and Preview. For local development, copy `.env.example` to `.env.local`.

> `NEXT_PUBLIC_*` variables are **public**. They're compiled into the browser JavaScript at build time, so changing one requires a redeploy. Never put a secret in a `NEXT_PUBLIC_*` variable.

Server secrets (Pages Function)

Variable	Required	Purpose
`GHL_PRIVATE_INTEGRATION_TOKEN`	**Yes**	HighLevel Private Integration token (contacts and opportunities write). Encrypted secret.
`GHL_LOCATION_ID`	**Yes**	HighLevel sub-account (location) ID
`GHL_EVENTS_PIPELINE_ID`	**Yes**	Pipeline for event inquiries
`GHL_EVENTS_PIPELINE_STAGE_ID`	**Yes**	Starting stage for new inquiries
`GHL_EVENT_TYPE_FIELD_ID`	No	Opportunity custom field: event type
`GHL_EVENT_GUEST_COUNT_FIELD_ID`	No	Opportunity custom field: guest count
`GHL_EVENT_BUDGET_FIELD_ID`	No	Opportunity custom field: budget label
`GHL_EVENT_DATE_FIELD_ID`	No	Opportunity custom field: preferred date
`GHL_EVENT_MESSAGE_FIELD_ID`	No	Opportunity custom field: message

If any required variable is missing, `/api/event-inquiry` returns `503` and the form shows its error message.

Public build-time variables

Variable	Default / example	Effect when empty or placeholder

`NEXT_PUBLIC_VOLUNTEER_WEBHOOK_URL`	`https://example.com/webhook/placeholder`	The volunteer form **fakes success and sends nothing**
`NEXT_PUBLIC_CORPORATE_WEBHOOK_URL`	`https://example.com/webhook/placeholder`	The corporate form **fakes success and sends nothing**
`NEXT_PUBLIC_NEWSLETTER_WEBHOOK_URL`	`https://example.com/webhook/placeholder`	The newsletter sign-up **fakes success and sends nothing**
`NEXT_PUBLIC_EVENTS_SUBSCRIBE_URL`	(empty)	The "Add to your calendar" panel is hidden. Accepts `https://` or `webcal://`.
`NEXT_PUBLIC_DAF_WIDGET_URL`	(empty)	The DAF panel shows legal name, EIN, and address instead of an embedded widget
`NEXT_PUBLIC_CF_IMAGE_BASE`	(empty)	Images are served at original size (no Cloudflare resizing)
`NEXT_PUBLIC_FORT_MEDIA_BASE`	`https://cdn.r2.fortadams.org`	Falls back to the same default in code

Obsolete (safe to delete from Cloudflare)

- `NEXT_PUBLIC_DONATION_PROVIDER`
- `NEXT_PUBLIC_DONATION_EMBED_CONFIG`

Configured elsewhere (not in this project)

Variable	Where
`GITHUB_OAUTH_CLIENT_ID`, `GITHUB_OAUTH_CLIENT_SECRET`	The Decap OAuth proxy Worker at `decap-oauth.fortadams.org`

Not environment variables (for reference)

These integration settings are in code or content, not in environment variables:

Setting	Location
FareHarbor booking URLs	`content/tour-booking.json` (CMS)
Donation form URL	`src/components/support/DonateWidget.tsx`
Membership payment links	`src/lib/support-content.ts`
Production site URL	`src/lib/site-config.ts` (`siteConfig.url`)
Decap OAuth proxy URL	`public/admin/config.yml` (`backend.base_url`)

Revision #1
Created 2026-09-28 14:25:57 UTC by David Prata
Updated 2026-09-28 14:25:57 UTC by David Prata